

(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property  
Organization  
International Bureau



(43) International Publication Date  
27 January 2005 (27.01.2005)

PCT

(10) International Publication Number  
**WO 2005/008240 A3**

(51) International Patent Classification<sup>7</sup>: **G06F 19/00**

(21) International Application Number:  
PCT/US2004/020992

(22) International Filing Date: 1 July 2004 (01.07.2004)

(25) Filing Language: English

(26) Publication Language: English

(30) Priority Data:  
60/484,308 3 July 2003 (03.07.2003) US  
60/524,083 24 November 2003 (24.11.2003) US

(71) Applicant (for all designated States except US): **BIOGEN IDEC MA INC.** [US/US]; 14 Cambridge Center, Cambridge, MA 02142 (US).

(72) Inventors; and

(75) Inventors/Applicants (for US only): **SINGH, Juswinder** [GB/US]; 94 Heritage Avenue, Ashland, MA 01721 (US).

**CHUAQUI, Claudio** [CA/US]; 30 Chandler Street, Apt. #1, Somerville, MA 02144 (US). **DENG, Zhan** [CA/CA]; 65 Old Meadow Lane, Markham, Ontario L6C 2L6 (CA).


(74) Agent: **FOX, Harold, H.**; Steptoe & Johnson LLP, 1330 Connecticut Avenue NW, Washington, DC 20036 (US).

(81) Designated States (unless otherwise indicated, for every kind of national protection available): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW.

(84) Designated States (unless otherwise indicated, for every kind of regional protection available): ARIPO (BW, GH,

[Continued on next page]

(54) Title: **STRUCTURAL INTERACTION FINGERPRINT (SIF<sup>1</sup>)**



(57) Abstract: Disclosed is a method for representing and analyzing 3D target molecule-ligand intermolecular interactions. The method generates structural interaction fingerprints (SIFs) that convert three-dimensional structural interaction information into linear information strings that contains a plurality of information blocks; each of which in turn containing a plurality of information units. By assigning to each information unit a calculated value to represent the characteristic of a set of intermolecular interactions occurring at each selected position (i.e., a position on the target molecule at which intermolecular interaction occurs), a SIF of the target molecule-ligand complex is constructed.

WO 2005/008240 A3



GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PL, PT, RO, SE, SI, SK, TR), OAPI (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

**Published:**

— with international search report

— before the expiration of the time limit for amending the claims and to be republished in the event of receipt of amendments

(88) Date of publication of the international search report:  
3 November 2005

*For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.*